

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

AMENDMENTS TO THE CLAIMS

Please amend claim 7, as shown in the following listing of claims.

5           This listing of claims will replace all prior listings of claims in the application.

Listing of Claims

10           1. (ORIGINAL) A box having a uniquely-disposed cup-holder strap disposed in a connected-corner section of the box, said box comprising:

15                   a bottom panel,

                  a double-panel wall structure comprising an outer panel and an inner panel disposed substantially parallel to said outer panel, and

20                   another wall structure disposed adjacent said double-panel wall structure and comprising a wall and a corner flap attached to an end of said wall and at least partially enclosed between the inner and outer panels of said double-panel wall structure, thereby constituting a connected-corner section of said box;

25                   wherein said another wall structure further comprises a cup-holder strap extending from said wall to said corner flap and being disposed in the connected-corner section of said box.

30           2. (ORIGINAL) The box of claim 1 wherein:

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

5           said inner panel has an offset end edge  
disposed adjacent said another wall structure and at  
least a portion of said offset end edge is disposed on an  
interior side of said cup-holder strap.

3. (ORIGINAL) The box of claim 1 wherein:

10           at least one of said wall and said corner  
flap is disposed at an oblique angle to said bottom  
panel.

4. (ORIGINAL) The box of claim 1 wherein:

15           said box further comprises a rear wall and a  
cover hingedly attached thereto, and

20           said double-panel wall structure opposes said  
rear wall and is a front wall structure of said box and  
said wall is a side wall of said box and said connected  
corner section is a front connected-corner section of  
said box, whereby said cup-holder strap is disposed in a  
front connected-corner section of the box.

25           5. (ORIGINAL) A box having a uniquely-disposed  
cup-holder strap having an obliquely-disposed corner-  
making fold line, said box comprising:

30           a bottom panel,

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

5 a wall structure comprising a wall, a corner  
panel attached to an end of said wall, and a cup-holder  
strap disposed in cup-holding position and attached at  
one end to said wall and at another end to said corner  
10 panel and having opposing top and bottom cup-holder edges  
and a corner-making fold line extending between said top  
and bottom cup-holder edges, wherein said corner-making  
fold line is disposed at an oblique angle to at least a  
portion of at least one of said top and bottom cup-holder  
edges.

6. (ORIGINAL) The box of claim 5 wherein:

15 at least one of said wall and said corner  
panel is disposed at an oblique angle to said bottom  
panel.

20 7. (CURRENTLY AMENDED) A box having a bottom  
panel, a wall panel disposed at an oblique angle to said  
bottom panel, and a cup-holder strap attached at one end  
to said wall panel and disposed in cup-holding position  
and having a top edge, wherein at least a ~~substantial~~  
portion of said top edge is disposed substantially  
25 parallel to said bottom panel.

30 8. (ORIGINAL) A blank for a box having a uniquely-  
disposed cup-holder strap disposed adjacent a double-  
panel wall structure, said blank being of foldable  
material cut and scored to define:

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

a bottom panel comprising adjacent first and second edges, and

5 a plurality of wall structures including first and second wall structures;

10 said first wall structure being a double-panel wall structure comprising an outer panel hingedly attached to said first edge at a first bottom edge fold line and an inner panel hingedly attached to a top edge of said outer panel and said inner and outer panels each have an end edge disposed adjacent said second wall structure;

15 said second wall structure comprising a wall hingedly attached to said second edge at a second bottom edge fold line and having a corner end disposed adjacent said first wall structure and further comprising a corner flap hingedly attached to said corner end at a corner  
20 flap fold line;

25 wherein said second wall structure further comprises a cup-holder strap partially disposed in said wall and partially disposed in said corner flap, whereby said cup-holder strap is disposed at the corner end of said wall and, thereby, adjacent said first wall structure, and

30 wherein at least a portion of the end edge of said inner panel of said first wall structure is substantially offset in relation to the end edge of said

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

outer panel, thereby constituting an offset end edge of said inner panel;

5                   whereby after said blank has been erected  
into a box and said inner panel is disposed substantially  
parallel to said outer panel and at least a portion of  
said corner flap is enclosed between said inner and outer  
panels and said cup-holder strap is disposed in cup-  
holding position the offset end edge of said inner panel  
10   is disposed on an interior side of said cup-holder strap,  
thereby enabling said cup-holder strap to be disposed at  
a corner section of the box formed by a juncture of the  
double-panel first wall structure with the second wall  
structure.

15

9. (ORIGINAL) The blank of claim 8 wherein:

                  said corner flap fold line is disposed at an  
oblique angle to said second bottom edge fold line.

20

10. (ORIGINAL) The blank of claim 8 wherein:

                  said cup-holder strap has opposing top and  
bottom cup-holder edges and a cup-holder end fold line  
25   extending between opposing ends of said top and bottom  
cup-holder edges, wherein said cup-holder end fold line  
is disposed at an oblique angle to at least one of said  
top and bottom cup-holder edges.

30

11. (ORIGINAL) The blank of claim 8 wherein:

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

said cup-holder strap has opposing top and  
bottom cup-holder edges, and

5       said corner flap fold line extends through  
said top and bottom cup-holder edges, and

10       at least one of the cup-holder edges  
comprises opposing first and second portions respectively  
disposed on opposing sides of said corner flap fold line  
and wherein said first and second portions are non-  
aligned.

12. (ORIGINAL) The blank of claim 8 wherein:

15       said cup-holder strap has opposing top and  
bottom cup-holder edges, and

20       said corner flap fold line extends through  
said top and bottom cup-holder edges, and

25       at least one of the cup-holder edges  
comprises opposing first and second portions respectively  
disposed on opposing sides of said corner flap fold line  
and wherein said first and second portions are disposed  
at an oblique angle.

30       13. (ORIGINAL) A blank for a box having a  
uniquely- disposed cup-holder strap having an obliquely-  
disposed cup-holder end fold line, said blank being of  
foldable material cut and scored to define:

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

a bottom panel,

5 a wall structure comprising a wall hingedly  
attached to said bottom panel at a bottom edge fold line,  
a corner flap hingedly attached to an end of said wall at  
a corner flap fold line, and a cup-holder strap partially  
disposed in said wall and partially disposed in said  
corner flap and having opposing top and bottom cup-holder  
edges and a cup-holder end fold line extending between  
10 opposing end points of said top and bottom cup-holder  
edges, wherein said cup-holder end fold line is obliquely  
disposed in relation to said bottom edge fold line.

14. (ORIGINAL) The blank of claim 13 wherein:  
15

said cup-holder end fold line is disposed at  
an oblique angle to at least one of said top and bottom  
cup-holder edges.

20 15. (ORIGINAL) The blank of claim 13 wherein:

said corner flap fold line is disposed at an  
oblique angle to said bottom edge fold line.

25 16. (ORIGINAL) A blank for a box having a  
uniquely- disposed cup-holder strap having non-aligned  
portions of cup-holder edges, said blank being of  
foldable material cut and scored to define:

30 a bottom panel,

Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

5 a wall structure comprising a wall hingedly attached to said bottom panel at a bottom edge fold line, a corner flap hingedly attached to an end of said wall at a corner flap fold line, and a cup-holder strap partially disposed in said wall and partially disposed in said corner flap and having opposing top and bottom cup-holder edges, said corner flap fold line extending through said top and bottom cup-holder edges;

10 wherein at least one of the cup-holder edges comprises opposing first and second portions respectively disposed on opposing sides of said corner flap fold line and wherein said first and second portions are non-aligned.

15 17. (ORIGINAL) The blank of claim 16 wherein:

said corner flap fold line is disposed at an oblique angle to said bottom edge fold line.

20 18. (ORIGINAL) The blank of claim 16 wherein:

25 said cup-holder strap has a cup-holder end fold line extending between opposing ends of said top and bottom cup-holder edges, wherein said cup-holder end fold line is disposed at an oblique angle to at least one of said top and bottom cup-holder edges.

30 19. (ORIGINAL) The blank of claim 16 wherein:



Appl. No. 10/754,324

Correll - Amdt. dated 11/8/04

5        said cup-holder strap has a cup-holder end  
fold line extending between opposing ends of said top and  
bottom cup-holder edges, wherein said cup-holder end fold  
line is obliquely disposed in relation to said bottom  
edge fold line.